Notice of Allowance, pursuant to 37 CFR 1.311(b).

claims.

Any filing fees under 37 CFR 1.16 for presentation of extra

٠,		
" Applicant or Patentee:	Joseph L. Christie	
Serial or Patent No.:		
Filed or Issued:		
For: UMBRELLA MOUN	TABLE ON A BACKPACK	
	ENT (DECLARATION) CLAIMING 1.9(f) AND 1.27(b) - INDEP	
<pre>independent inventor as d reduced fees under section the Patent and Trademark</pre>	r, I hereby declare that I defined in 37 CFR 1.9(c) fo on 41(a) and (b) of Title 3 Office with regard to the bed in the specification f	or purposes of paying 5, United State Code, to invention entitled the
obligation under contract rights in the invention t independent inventor unde invention, or to any cond	tted, conveyed or licensed or law to assign, grant, o any person who could not er 37 CFR 1.9(c) if that person which would not qualified) or a nonprofit organization.	convey or license, any be classified as an erson had made the by as a small business
☐ Each person, concern or of a conveyed, or licensed or massign, grant, convey or massign.	am under obligation under	contract or law to
[x] no such person, [] persons, concer	concern or organization cns or organizations listed	d below
FULL NAME		
bee-int	ALL BUSINESS CONCERN []	NONPROFIT ORGANIZATION
I acknowledge the duty to of any change in status restatus prior to paying, of fee or any maintenance fee	o file, in this application	or patent, notification lement to small entity the earliest of the issue
true and that all statemed be true; and further that that willful false statemed or imprisonment, or both, States Code, and that such	statements made herein of ents made on information are these statements were made ments and the like so made under section 1001 of Titch willful false statements ion, any patent issuing the ement is directed.	nd belief are believed to de with the knowledge are punishable by fine the 18 of the United may jeopardize the
Joseph L. Christie		
NAME OF INVENTOR	NAME OF INVENTOR	NAME OF INVENTOR
Signature of Inventor	Signature of Inventor	Signature of Inventor
Date	Date	Date

TITLE: UMBRELLA MOUNTABLE ON A BACKPACK

BACKGROUND OF THE INVENTION

1. Field of the Invention

5

10

20

25

This invention relates to an umbrella, and more particularly concerns an umbrella which can be supported by a backpack worn by the user.

2. Description of the Prior Art

Umbrellas intended for hand-held use are generally comprised of a collapsible canopy, an elongated shaft that is usually telescopically extendable, and a holding handle disposed at the lower extremity of the shaft. Such umbrellas have long been used by persons desiring to shield themselves from the sun and rain. It is well established that, from a health standpoint, it is desirable to minimize exposure to direct sunlight.

Conventionally, umbrellas are hand carried by the person using the umbrella. Carrying an umbrella, however does not allow the free use of a person's hands to carry packages or the like, or perform other functions. It is therefore desirable to provide an improved umbrella that will allow a person using the umbrella to use their hands without being encumbered by the umbrella.

While umbrellas have heretofore been strapped to the back of a person, they are difficult to attach and the harnesses are clumsy. Further, such harnesses must be detached if the umbrella is to be hand-held, as is conventional. It is therefore desirable to provide an umbrella which can be worn, if desired, but which includes structure which allows the umbrella to be worn or hand-

20

25

5

10

held, as desired, while still being convenient to use and conveniently stored.

Examples of such back-mounted umbrellas are disclosed in U.S. Patents D330,455; D345,856; D361,654; 3,892,251 and 4,188,965. In general, such back-mounted umbrellas involve a harness which either secures an umbrella of usual construction having a bottom handle, or secures a specially constructed umbrella having a straight shaft that removably inserts into a holding structure associated with the harness.

A common shortcoming of prior back-mounted umbrellas is that the umbrella tends to rotate within the holding structure, particularly in strong winds. Also, tilting movements in both the path of the person's walking movement and in the lateral or transverse direction are difficult to control. When a specialized harness is employed, it is difficult to emplace and is restrictive, and serves no other useful purpose.

Backpack carrying units are in commonplace use by hikers, campers and school students. The usual backpack is comprised of a storage compartment adapted to be worn on the back and secured by paired shoulder straps and a waist belt.

It is accordingly an object of the present invention to provide an umbrella and backpack combination wherein the backpack provides support for the umbrella.

It is a further object of this invention to provide the combination of the foregoing object wherein the umbrella is easily attached to and removed from the backpack.

It is another object of the present invention to provide the

5

10

combination of the aforesaid nature wherein the umbrella, in its deployed, open state is stabilized with respect to rotative and tilting movements.

It is yet another object of this invention to provide the combination of the aforesaid nature wherein said backpack contains means for securing said umbrella in its collapsed, storage state.

It is a still further object of the present invention to provide the combination of the aforesaid nature wherein the separate functionality of umbrella and backpack remains unimpaired.

These objects and other objects and advantages of the invention will be apparent from the following description.

SUMMARY OF THE INVENTION

The above and other beneficial objects and advantages are accomplished in accordance with the present invention by an umbrella and backpack combination comprising:

- a) an umbrella comprising a collapsible canopy and a straight center shaft interactive with said canopy and extending to a lower terminal extremity having spring biased locking means,
- b) a backpack having a storage compartment bounded in part by forward and rearward surfaces, and paired shoulder straps and a waist strap associated with said forward surface, and
- c) umbrella holding means associated with the forward surface of said backpack and comprising a vertically disposed tubular receiver and horizontally disposed stabilizing means attached to said receiver.

25

5

10

BRIEF DESCRIPTION OF THE DRAWING

For a fuller understanding of the nature and objects of the invention, reference should be had to the following detailed description taken in connection with the accompanying drawing forming a part of this specification and in which similar numerals of reference indicate corresponding parts in all the figures of the drawing:

Figure 1 is a side view of an embodiment of the umbrella and backpack combination of the present invention showing the umbrella in its functionally deployed state.

Figure 2 is a fragmentary exploded front view of the umbrella holding component of the embodiment of Figure 1.

Figure 3 is a vertical sectional view taken in the direction of the arrows upon the line 3-3 of Figure 2.

Figure 4 is a perspective front view of the umbrella and backpack combination of Figure 1, showing the umbrella in its storage state.

Figure 5 is a rear view of the embodiment of Figure 1.

DESCRIPTION OF THE PREFERRED EMBODIMENT

Referring now to Figures 1-5, an embodiment of the umbrella and backpack combination 10 of the present invention is shown comprised of backpack 11 and umbrella 12.

Backpack 11 is of conventional construction, comprised of a storage compartment 13 fabricated of sturdy fabric such as rip-stop nylon, and bounded in part by forward and rearward surfaces 14 and 15, respectively. Paired vertically oriented shoulder straps 16,

5

10

fabricated of heavy duty fabric belting, are attached by sewing to forward surface 14 adjacent the opposite sides 17 of compartment 13. Said shoulder straps are usually equipped with adjusting buckles 18. A horizontally oriented waist strap 19 is also associated with forward surface 14, and equipped with adjustment buckle 20. A closure flap 35 is attached to the upper extremity of forward surface 14, and extends onto rearward surface 15 for engagement therewith by means of snap connectors 36.

Umbrella holding means in the form of anchoring structure 21 are associated with forward surface 14. Anchoring structure 21 is comprised of a vertically disposed tubular receiver 22 having an open upper extremity 23. The lower portion 41 of said receiver is preferably flattened so as to minimize space occupied within the backpack. At least one horizontally disposed stabilizing means in the form of elongated bar 24 is attached to receiver 22. illustrated preferred embodiment, second stabilizing means in the form of bar 25 is disposed upon receiver 22 above bar 24. Said stabilizing bars may be in two halves extending from opposite sides of flattened receiver 22 in coplanar relationship therewith. Anchoring structure 21 is sandwiched between forward surface 14 and a fabric facing panel 26. Lines of sewing 27 interengage facing panel 26 and forward surface 14 along the entire perimeter outline of said anchoring structure, thereby securing said anchoring structure in proper orientation on the backpack. Other means may, however be employed to secure said anchoring structure to said Anchoring structure 21 may be fabricated of lightweight metal such as aluminum, or may be fabricated of plastic, in which

25

5

10

case it may be a monolithic structure produced by way of a molding operation.

Umbrella 12 is comprised of collapsible canopy 28 and a straight center shaft 29 interactive in conventional manner with said canopy. Shaft 29, preferably of telescopically extendable tubular construction, extends to a lower terminal extremity 30 equipped with spring biased locking means 31. The exemplified embodiment of said locking means is comprised of diametrically opposed tabs 32 which are outwardly urged from shaft 29 by spring means within said shaft. Tabs 32 are configured and positioned so as to engage matching slots 33 in receiver 22. A push-button control 34 on shaft 29 causes retraction of said tabs with attendant release from receiver 22. A shoulder 37 on shaft 29 is adapted to seat in abutment with the upper extremity 23 of receiver 22. The umbrella, in its collapsed storage state may have a length of between about 10 and 14 inches.

When shaft 29 is inserted into receiver 22 and tabs 32 are functionally deployed in slots 33, the umbrella is sufficiently secure so as to resist rotative movement about the shaft axis, and to resist tilting movement in any direction away from verticality. A hand grip 38 is preferably associated with shaft 29 adjacent said terminal extremity 30. Said hand grip facilitates the use of the umbrella in a conventional hand-held manner detached from the backpack. Holding means, which may be in the form of compartment 39 are associated with the backpack for storage of the umbrella in its collapsed state.

While particular examples of the present invention have been

shown and described, it is apparent that changes and modifications may be made therein without departing from the invention in its broadest aspects. The aim of the appended claims, therefore, is to cover all such changes and modifications as fall within the true spirit and scope of the invention.

- 1) An umbrella and backpack combination comprising:
 - a) an umbrella comprising a collapsible canopy and a straight center shaft interactive with said canopy and extending to a lower terminal extremity having spring biased locking means,
 - b) a backpack having a storage compartment bounded in part by forward and rearward fabric surfaces, and having paired shoulder straps and a waist strap associated with said forward surface, and
 - c) umbrella holding means associated with the forward surface of said backpack and comprising a vertically disposed tubular receiver having an open upper extremity, and horizontally disposed stabilizing means attached to said receiver.
- 2) The combination of claim 1 wherein said tubular receiver has a lower portion which is flattened so as to minimize space occupied.
- 3) The combination of claim 2 wherein said stabilizing means is a first elongated bar.
- 4) The combination of claim 3 having a second elongated bar attached said receiver above said first par.
- 5) The combination of claim 4 wherein said first and second bars each exist as two halves extending from opposite sides of the lower portion of said receiver in coplanar relationship.
- 6) The combination of claim 5 wherein said holding means is sandwiched between said forward surface and a parallel fabric

25


facing panel.


- 7) The combination of claim 6 wherein lines of sewing interengage said forward surface and facing panel along the perimeter of said holding means.
- The combination of claim 7 wherein said locking means is comprised of diametrically opposed tabs outwardly urged from said shaft by spring means within said shaft.
 - 9) The combination of claim 8 wherein said receiver has slots which receive said tabs.
- 10 10) The combination of claim 1 wherein said umbrella, in its collapsed storage state has a length between 10 and 14 inches.
 - 11) The combination of claim 10 wherein said backpack has a compartment for the storage of said umbrella in its collapsed state.

10

ABSTRACT OF THE DISCLOSURE

An umbrella and backpack combination includes an umbrella having a collapsible canopy and a straight center shaft extending to a lower extremity having a spring-biased locking feature. A backpack having a storage compartment bounded in part by forward and rearward fabric surfaces confines an umbrella holding structure having a vertically disposed tubular receiver and horizontally disposed stabilizing bars attached to the receiver. The lower extremity of the shaft enters the receiver and releasibly locks therewith.





Attorney Docket Number DECLARATION FOR UTILITY OR First Named Inventor Christie **DESIGN** PATENT APPLICATION **COMPLETE IF KNOWN** (37 CFR 1.63) **Application Number** Filing Date ☐ Declaration Submitted OR Submitted after Initial Group Art Unit Filing (surcharge (37 CFR 1.16 (e)) with Initial Filing **Examiner Name** required)

As a below named inventor, I hereby declare that:								
My residence, post office address, and citizenship are as stated below next to my name.								
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:								
UMBRELLA MOUNTABLE ON A BACKPACK								
the specification of which (Title of the Invention) is attached hereto OR								
was filed on (MM/DD/YYYY) as United States Application Number or PCT International								
Application Number	and w	as amended on (MM/DD/Y)	YYY) [(if applicable).				
I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as								
amended by any amendment specifically referred to above.								
I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.								
I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.								
Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached? YES NO				
			0000	0000				
Additional foreign applica	ation numbers are listed on a	supplemental priority data	sheet PTO/SR/(V2B attached hereto:				
Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto: I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.								
Application Number		(MM/DD/YYYY)	application(o) he	nod bolow.				
			numbe supple	onal provisional application ers are listed on a emental priority data sheet SB/02B attached hereto.				

DECLARATION — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

	U.S. Parent Application or PCT Parent Number			Filing Date	Parent Patent Number (if applicable)					
		1	(11111)	, <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>		1	аррпса	oie)		
☐ Additional	U.S. or PCT international applic	ation numbers are listed or	ı a supplemer	ntal priority data	sheet P7	TO/SB/02E	R attached	hereto.		
As a named inv	ventor, I hereby appoint the follow Coffice connected therewith:	wing registered practitioner(Customer Number OR	(s) to prosecu	te this application	on and to	transact a	all business Place Cust Number Bai Label he	in the Paten tomer r Code		
	Name	Registration Number		Nam		**		stration umber		
	B. Rainer	18,925						linuei		
Additional	registered practitioner(s) named	on supplemental Registere	d Practitioner	Information sh	eet PTO/	SB/02C at	Itached her	eto.		
Additional of Direct all corr	espondence to: Custor	mer Number Code Label						lress below		
Name	Norman B. Raine	r								
Address	2008 Fondulac Road									
Address			······································	·						
Address City	Richmond		State	State VA		23229				
Country	USA	Telephone (80		·	ZIP Fax	(804)282-1325				
≈ I punishable by t	re that all statements made her true; and further that these state fine or imprisonment, or both, un my patent issued thereon.	ein of my own knowledge tements were made with I under 18 U.S.C. 1001 and	are true and ihe knowledg I that such w	that all statem e that willful fal illful false state	ents mad	de on info	rmation an	nd belief are		
Name of Sc	ole or First Inventor:		☐ A petit	ion has been	filed for	this unsi	igned inve	entor		
Giv	ven Name (first and middle [i	f anyl)	Family Name or Surname							
	Joseph L.			Christie						
Inventor's Signature	Joseph	1. Christia	~~				Date	7-29-00		
Residence: C	Channelview	State TX	Country	USA		C	itizenship	USA		
Post Office Ad	ddress 1442Pennyge				· · · · · · · · · · · · · · · · · · ·		mzensmp			
Post Office Ac										
City Chan	nelview State	TX ZIP	77530		Coun	try	USA			
☐ Additional i	inventors are being named o	n thesupplement		Inventor(s) si				had barata		